

Allergenarrays: low-cost food allergy diagnosis using allergen extracts-based microarrays

Jean-Philippe Borges, Camille Gironde, Lidwine Trouilh, Benjamin Berteloite, Andre Apoil, Pierre Rougé, Annick Barre, Emmanuelle Trévisiol

► To cite this version:

Jean-Philippe Borges, Camille Gironde, Lidwine Trouilh, Benjamin Berteloite, Andre Apoil, et al.. Allergenarrays: low-cost food allergy diagnosis using allergen extracts-based microarrays. Clinical and Translational Allergy, 2014, 5th International Symposium on Molecular Allergology (ISMA 2013), 4 (Suppl 2), pp.P37. 10.1186/2045-7022-4-S2-P37. hal-01849051

HAL Id: hal-01849051 https://laas.hal.science/hal-01849051

Submitted on 22 May 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

POSTER PRESENTATION





Allergenarrays: low-cost food allergy diagnosis using allergen extracts-based microarrays

Jean-Philippe Borges^{1*}, Camille Gironde², Lidwine Trouilh¹, Benjamin Berteloite³, Andre Pol Apoil⁴, Pierre Rouge², Annick Barre², Emmanuelle Trevisiol¹

From 5th International Symposium on Molecular Allergology (ISMA 2013) Vienna, Austria. 6-7 December 2013

Background

The current tools available for diagnosing food allergy include the clinical history, trial elimination diets, diet diaries, skin prick testing (SPT) and allergen-specific serum IgE testing. Since 15 years, development of allergen-based microarrays using recombinant/natural proteins is increasing, resulting in commercially available microarrays to detect specific IgE against more than 100 allergenic compounds. For the moment, the number of available recombinant allergens and the cost of their development limit the enhancement of allergen microarray technology.

The goal of our study is to explore and optimize allergen-microarray from food allergen extracts and trying to create a low-cost IgE detecting platform.

Method

One of the most critical step is the preparation of food extracts containing all of the major allergens. To standardize and miniaturize the sample preparation, high-speed benchtop homogenizer offers the ultimate performance for the lysis of biological samples. In some cases, antiprotease cocktails were added to increase allergen concentrations. Food extracts are deposited using a microarrayer device on glass slides at different concentrations, offering a range for further IgE interactions. IgEbinding was detected using fluorescent anti-human IgE antibody. Using fluorescent antibodies with different fluorochromes in the detecting step improve the versatility of the experiment, allowing to obtain a huge amount of data from a single experiment.

Results

Our food extracts-based microarrays for food allergen diagnosis are currently investigated for a large number of patients. The first results showed a good correlation with previous existing conventional assays currently used in allergy diagnosis. The best results were obtained for the diagnosis of peanut, milk, egg and nuts (walnut, hazelnut, Brazil nut, pecan, almond...). Fish, cereals and fruits allergy extracts need to be improved regarding stability and allergen concentration. Further developments are needed to enhance allergen stability and coating on slides.

Conclusion

Food extracts-based microarrays are efficient tools for allergy diagnosis and need to be improved, using different type of allergens. Using food extracts instead of recombinant proteins could be a good alternative to design lowcost microarrays.

Authors' details

¹INSA de Toulouse, LISBP, Toulouse, France. ²Faculte de Pharmacie, Toulouse III, PharmaDev, Toulouse, France. ³Innopsys, R&D, Carbonne, France. ⁴Hopital de Rangueil Laboratoire d'Immunologie, Toulouse, France.

Published: 17 March 2014

doi:10.1186/2045-7022-4-S2-P37

Cite this article as: Borges *et al.*: **Allergenarrays: low-cost food allergy diagnosis using allergen extracts-based microarrays.** *Clinical and Translational Allergy* 2014 **4**(Suppl 2):P37.

¹INSA de Toulouse, LISBP, Toulouse, France

Full list of author information is available at the end of the article



© 2014 Borges et al; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. The Creative Commons Public Domain Dedication waiver (http:// creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.